

## Thermotec General Foam Products

**Other Name:** Roll Bar Protector, Roof Rack Protector, Windscreen Protector, Playground Protector, Packaging Foam

### 1. PRODUCT AND COMPANY IDENTIFICATION

<b>Supplier Name</b> THERMOTEC AUSTRALIA PTY LTD	<b>Web Site:</b> www.thermotec.com.au
<b>Address:</b> 168 Carrington Street, REVESBY, NSW, 2212, AUSTRALIA.	<b>E-mail:</b> michael@thermotec.com.au
<b>Fax</b> +612 9771 6466	<b>Emergency No.</b> +612 9771 6400
<b>Telephone</b> +612 9771 6400	<b>Reviewed Date:</b> 07/06/13

**Use(s):**

General Foam for customised products and specialty foams

### 2. HAZARDS IDENTIFICATION

**NOT CLASIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA**

**NOT CLASIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE**

**UN No.:** None                      **Dangerous class**                      None

**Hazchem code:** None                      **Poisons Schedule**                      None

**Packaging group:** None

**Manufacturing Codes :** Roll Bar, Windscreen, Roof Rack, Playground, Packaging Foam.

### 3. COMPOSITION/ INFORMATION ON INGREDIENTS

**Physical description/properties**

**Appearance:**

Red, Blue, Orange, Purple, Black, Grey or White Low density Extruded Closed Cell Polyethylene Foam material, Product is manufactured article.

**Properties**

**Thermal Conductivity:** 0.03 W/mK at 20Degrees Celsius. By DIN 52613

**Melting/decomposition range:** >90 degrees Celsius (softening). (Decomposition @ >300C)

# MATERIAL SAFETY DATA SHEET

<b>Vapour pressure</b> NA	<b>Per cent volatile</b> nil	
<b>SG Density</b> 50 kg/m <sup>3</sup>	<b>Flash point</b> over 150°C	
<b>Flammability limit;</b>	NA	
<b>Auto ignition temperature:</b>	Avoid long term exposure over 340C.	
<b>Ingredients:</b>		
<b>Chemical entity:</b>	<b>CAS No.</b>	<b>Proportion</b>
Polyethylene	9002-88-4	>95%

## 4. FIRST AID MEASURES

<b>Swallowed</b>	If swallowed do not induce vomiting, seek medical advice
<b>Eye</b>	If product comes in contact with eyes wash affected area with cold water, irritation continues seek Medical advice.
<b>Skin</b>	In the event of abrasion or irritation of skin seek medical advice.
<b>Inhaled</b>	If fumes or combustion inhaled, remove from contaminated area and seek medical advice.
<b>Advice to Doctor</b>	Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

### Flammability

Material should be kept away from excessive heat sources.

The foam backed products may burn with high heat and evolution of black smoke. .

Test report available on request.

Test report on foams available on request.

### Fire and Explosion

There is potential for fire or explosion. If is not fully degassed. Always check with manufacturers Special instructions for fire and explosion hazards.

Must be kept away from any source of ignition until fully degassed. Contains blowing agent (propane).

Normal fire fighting procedures should be allowed for to avoid inhalation of smoke and gases.

# MATERIAL SAFETY DATA SHEET



**Extinguishing** Dry chemical, water, carbon dioxide.

## 6. ACCIDENTAL RELEASE MEASURES

**Spillage/ Disposal** Dispose of as landfill as required by local or state regulation. Recycling is possible contact manufacturer for recycling options.

## 7. STORAGE AND HANDLING

### Storage & transport

Although shipment in properly ventilated vehicles should prevent the accumulation of a flammable concentration of blowing agent (Propane) during transport, the following additional precautions should be taken when opening shipments of foam.

(I) Extinguish any sources of ignition including smoking.

(II) Allow air to circulate for at least 5 minutes after opening closed vehicles and containers.

All Thermotec foam products must be stored in a well ventilated area. Smoking and all other ignition sources must not be allowed.

### Handling

When cutting, skiving, routing or grinding, cells are destroyed accelerating the release of any retained blowing agent. Therefore it is possible for explosive concentrations of the blowing agent to accumulate in localized areas. It is vital that there be adequate ventilation to enable blowing agent to dissipate

## 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

**Exposure Stds** No exposure limit allocated

**Biological Limits** No Biological limit allocated

**Engineering Controls** Must be stored in a well ventilated area. Refer to manufactures "Safety when using Thermotec Closed Cell Polyethylene Foam".

**PPE** Not required any Personal Protective Equipment under normal conditions of use. Where an inhalation hazard exists, wear dust-proof goggles and a particulate respirator.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

# MATERIAL SAFETY DATA SHEET

## Appearance

Red, Blue, Orange, Purple, Black, Grey or White Low density Direct Extruded Polyethylene Foam material, Product is manufactured article.

**Solubility (water)** Insoluble

**Boiling point ( °C) @ >300C**

**Melting point (°C) @>90 Degrees Celsius**

**Vapour pressure @ 25° (kpa) NA**

**Specific gravity** NA

**Flash point** NA

## 10. STABILITY AND REACTIVITY

**Hazard of use/ storage** Stable under normal storage and required temperature

**Material to Avoid** Incompatible with hydrofluoric acid (violently), oxidising agents (eg. Hypochlorite), acid and heat.

**Hazardous Decomposition Products** May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition

## 11. TOXICOLOGICAL INFORMATION

### Health Hazard Summary

The material does not contain any ingredient which under any normal installation conditions should lead to health hazards such as skin irritations, mucous irritation or breathing difficulties.

**Eye** Not normally a hazard due to physical form, mechanical injury possible from particulate matter.

**Inhalation** Not normally a hazard due to non-volatile nature of product.

**Skin** Over exposure is unlikely due in this form of product.

**Ingestion** Not normally a hazard due to physical form of product.

**Toxicity Data** Polyethylene (9002-88-4)

## 12. ECOLOGICAL INFORMATION

**Environment** Availability of Limited ecotoxicity data for this product while preparing this report. Appropriate measures are taken to prevent this product from entering the environment

# MATERIAL SAFETY DATA SHEET



## 13. DISPOSAL CONSIDERATIONS

<b>Legislation</b>	Dispose of in accordance with relevant local legislation.
<b>Waste disposal</b>	Reuse where possible. No special precautions are required for this product

## 14. TRANSPORT INFORMATION

<b>UN No</b> None Allocated	<b>Dangerous goods class</b> None Allocated
<b>Subsidiary risk</b> None Allocated	<b>EPG card</b> None Allocated
<b>Shipping name</b> None Allocated	<b>Packing group</b> None Allocated
<b>Poisons schedule</b> None Allocated	<b>Hazchem code</b> None Allocated

## 15. REGULATORY INFORMATION

<b>AICS</b>	All chemicals listed on the Australian Inventory of Chemical Substances (AICS).
<b>Poison Schedule</b>	A poison schedule number has not been allocated to this product using the criteria in the standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

## 16. OTHER INFORMATION

This information relates only to specific material designated and may not be valid for such material used in combination with any other materials or in any process, such information is to best of our knowledge, accurate and reliable as of the date compiled. Since conditions of use are beyond our control, the data is not to be taken as warranty or representation for which Thermotec Australia Pty Ltd assumes legal responsibility. It is the user's responsibility to satisfy him/herself as to the sustainability and completeness of such information for his own particular use. Use of the data and information must be determined by the user to be in accordance with local laws and regulations.